

ALSTONE®

WPC

ALSTONE®

WPC

YOUR
PERFECT
HOME

25 YEARS
WARRANTY



Alstone Industries Pvt. Ltd.

www.alstoneindia.in

HEAD OFFICE
2E/7, Jhandewalan Extension, New Delhi, India 110055
Web : www.alstoneindia.in Email : csd1.wpc@alstoneindia.in

CUSTOMER CARE
+91 9810846953, 011-42307700

BRANCHES

Ahemdabad : 7428796915	Hubli : 9311733241	Noida : 9971985006
Bangalore : 9108004634	Indore : 9205483524	Patna : 9205156513
Bhubaneshwar : 9810422306	Kolkata : 9289097325	Pune : 7428090120
Chennai : 9289796810	Lucknow : 9289027607	Raipur : 7428796910
Delhi : 9871006524	Kochi : 9319088574	Ranchi : 9311833251
Guwahati : 9311733250		



Pre Lam Door
Pre Lam Routed Door
Pre Lam DecorArt Door
WPC Routed Door
WPC Hollow Tubular Door
WPC Frame
WPC Window

www.alstoneindia.in

SHADES OPTIONS FOR PRE LAM DOOR, DOOR FRAME & WINDOW FRAME

PRE LAM DOOR , DOOR FRAME & WINDOW FRAME

Alstone WPC Pre-Laminated Solid doors & door/ window frame are made of high quality Wood Polymer Composites to make them exceptionally durable and dimensionally stable with excellent finishing properties. Our Decorative Pre Laminated Doors & door/ window frame are long lasting and can retain their great looks throughout their life.

Alstone WPC Pre-Laminated Decorative door & door/ window frame is ready to use doors mostly Unmatched Quality & Endless Application has brought revolution in the Indian Door & door/window frame Market.



AMD16: RED WOOD



AMD17: EUROPEAN WALNUT



AMD18: CREAM WOOD



AMD19: GOLDEN TEAK



AMD20: BLEACHED WALNUT



AMD21: BLACK ROSE NUT

SHADES OPTIONS FOR PRE LAM DOOR, DOOR FRAME & WINDOW FRAME



AMD22: D BROWN BEACH



AMD23: BEIGE CREAM WOOD



AMD24: WINGEE BROWN



AMD29: PAMELY



AMD30: NEW CHEERY WOOD



AMD31: EMIRATES



AMD25: ANDHRA TEAK



AMD26: JUNGLE ROSE WOOD



AMD28: ROSE WOOD

Pre-Lam Routed Door



ANY COLOR OF PRELAM DOOR {AMD16-AMD31}
CAN BE ROUTED AS PER BELOW DESIGNS :-




AMD16 ARD10



AMD17 ARD11



AMD18 ARD12



AMD19 ARD13



AMD20 ARD14



AMD21 ARD15

**ANY COLOR OF PRELAM DOOR {AMD16-AMD31}
CAN BE ROUTED AS PER BELOW DESIGNS :-**



AMD22 ARD16



AMD23 ARD17




AMD24 ARD18



AMD29 ARD22



AMD30 ARD23



AMD31 ARD24

**ANY COLOR OF PRELAM DOOR {AMD16-AMD31}
CAN BE ROUTED AS PER BELOW DESIGNS :-**



AMD25 ARD19



AMD26 ARD20



AMD28 ARD21

Pre-Lam DecorArt Door




DESIGN OPTION FOR PRE-LAM DECORART DOOR



ARD 25



ARD 26



ARD 27



ARD 28



ARD 29




ARD 30

DESIGN OPTIONS FOR PRE-LAM DECORART DOOR



ARD 31



ARD 32



ARD 33



ARD 37



ARD 38



ARD 39



ARD 34



ARD 35



ARD 36



ARD 40



ARD 41



ARD 42

WPC Routed Door




DESIGN OF ROUTED DOOR



ARD-02



ARD-05



ARD-06



ARD-07



ARD-08



ARD-09

UV PRINTED COATED DOORS



UV PRINTED COATED DOORS

UV-printed coated doors boast a sleek aesthetic, featuring a high-quality finish achieved through ultraviolet printing technology. The coating ensures durability, resistance to scratches, and vibrant, long-lasting colors. These doors combine modern design with advanced printing techniques, elevating interior spaces with a sophisticated and visually appealing touch.



AMD32



AMD33



AMD34




AMD35

ADVANTAGES:

- Textured Finish
- Scratch Resistant
- High Density
- Ready to Fit
- UV Coating
- Look like Woods

WPC TUBULAR HOLLOW DOORS

WPC Tubular Hollow Doors



ABOUT:

WPC Tubular Hollow Door is prepared from the standards grade wood materials with the help of modern techniques. It has great nail and screw holding capacity. It has detailed dimensions and hygienic surface finish. It looks very attractive and can be installed at any stage of construction. It is highly resistant to termites and acid. Also, our WPC Tubular Hollow Door can withstand all adverse weather conditions and provides a stable support . This Door is available in a variety of designs at cost efficient rates.

AVAILABLE SIZES:

Maximum Width - 900mm
Maximum Length - Customisable
Thickness - 35mm, 40mm, 45mm



AVAILABLE FINISHES:

Paint, Polish, Laminate & Veneer

- Smooth,
Solid-Colored Finish.
- Great For Vibrant Or
Custom Color Options.



 PAINTED

- Natural Wood Look
Enhanced With Shine.
- Ideal For Rich, Elegant
Appearances.




 POLISHED

- Durable, Synthetic
Surface.
- Wide Range Of
Textures And Colors.



 LAMINATED

- Thin Layer Of Real
Wood On Base Material.
- Luxurious Feel With
Wood Grain Detailing.



 VENEERED

TEST CERTIFICATES OF FR WPC DOOR FRAMES

TEST	TEST METHOD	RESULT OBTAINED
30 mins Fire Resistance	ASTM E 119, BS: 476 (Part - 20, 22) & IS : 3614 (Part - 2)	No smoke with stability, integrity and thermal insulation observed for 30 min
60 mins Fire Resistance	ASTM E 119, BS: 476 (Part - 20, 22) & IS : 3614 (Part - 2)	No smoke with stability, integrity and thermal insulation observed for 60 min
90 mins Fire Resistance	ASTM E 119, BS: 476 (Part - 20, 22) & IS : 3614 (Part - 2)	No smoke with stability, integrity and thermal insulation observed for 90 min
120 mins Fire Resistance	ASTM E 119, BS: 476 (Part - 20, 22) & IS : 3614 (Part - 2)	No smoke with stability, integrity and thermal insulation observed for 120 min

TEST CERTIFICATES OF WPC DOOR FRAMES

TEST	TEST METHOD	RESULT OBTAINED
Flammability	UL 94	Match With Vo
Hardness (Shore D)	ASTM D 2240	62
Material Density	IS 2380 (Part-3)	990kg/m3
Water Absorption	IS 2380 (Part-16)	0.26%
Screw Withdrawal	IS 2380 (Part-4)	50.78 kg

**All test results are from CIPET*

BASIC ACCESSORIES

To ensure installation is smooth and efficient, we provide a wide range of high-quality accessories.



WHY?

ALSTONE WPC TUBULAR HOLLOW DOORS



Increased Product Strength



Less Product Weight



No Bending Issues



FIRE RESISTANT

- Our fire-resistant (FR) doors are designed using a special manufacturing process that prevents the release of toxic smoke or gases during emergencies.
- These doors are ideal for both residential and commercial settings where exposure to fire or high temperatures is a concern, ensuring safety and reliability.



Painted



PVC Film Wrapping



Polished

SECTION SIZE

Corner Round with Back Grooves

	Product Code Size (MM)	HD/ADF-1 75 X 45
	Product Code Size (MM)	HD/ADF-2 75 X 50
	Product Code Size (MM)	HD/ADF-3 100 X 50
	Product Code Size (MM)	HD/ADF-4 100 X 62
	Product Code Size (MM)	HD/ADF-5 125 X 62
	Product Code Size (MM)	HD/ADF-6 150 X 62
	Product Code Size (MM)	HD/ADF-7 150 X 62

Corner Straight without Back Grooves

	Product Code Size (MM)	HD/ADF-8 75 X 50
	Product Code Size (MM)	HD/ADF-9 100 X 50
	Product Code Size (MM)	HD/ADF-10 100 X 62
	Product Code Size (MM)	HD/ADF-11 125 X 63
	Product Code Size (MM)	HD/ADF-12 150 X 62
	Product Code Size (MM)	HD/ADF-13 250 X 65

BENEFITS OF WPC DOOR FRAME VS WOODEN DOOR FRAME

FEATURE	WPC DOOR FRAMES	WOODEN DOOR FRAMES
TERMITE, BORER, FUNGUS, BACTERIA	100% Termite, Borer proof, even under moist condition no fungus and Bacteria develops on ADF.	Easily attacked by Termites, Borer. In wet areas it develops harmful Fungus.
WATER PROOF	ADF is 100% water proof even if it is dipped in water.	Wood has a tendency to absorb moisture.
FIRE RETARDANT	Fire Retardant as it doesn't catch fire on its own.	Wood is a natural fuel being used for cooking and catches fire easily and the major cause of fires in houses is the presence of wooden furniture. Hence it is not Fire Retardant.
EXPANSION, BENDING & TWISTING SHRINKAGE	Even in changing weather conditions no bending and expansion.	Wood is prone to Bending and Twisting due to weather change.
WORKABILITY	Regular carpentry tools are enough to work on, no need for special equipment. 30% Labor cost savings in case of ADF.	Lot of carpentry work is needed to make a door frame. Loss of Labor, Time & Material in case of Wooden Door Frames
SURFACE COATING & MAINTAINENCE	It is very convenient to Paint, Polish and laminate the ADF with negligible maintenance cost.	Requires lot of preparation before final. Regular maintenance is required for Wooden Door frames as possibility of peeling off is very high.
SCREW HOLDING	ADF has high screw holding capacity of the ADF is very high (2200N).	Screw holding capacity is not consistent. Screws get rusted in moist conditions.
LIFE OF FRAME	Very long life	No fixed life

ARCHITRAVES

	Product Code Size (MM)	HD/ASF-14 50x12
	Product Code Size (MM)	HD/ASF-15 40x6
	Product Code Size (MM)	HD/ASF-16 12x10

WINDOW FRAMES SECTION SIZE

	Product Code Size (MM)	HD/ASF-17 70 x 32 mm
	Product Code Size (MM)	HD/ASF-18 10 x 12 mm
	Product Code Size (MM)	HD/ASF-19 125 x 63 mm

Standard length of wpc frame : 7', 8', 12', (can be customized)